

WALRUS AUDIO XERO

Polylooper

- Item: 67702 (Cream) | 67703 (Black)
- EAN Number: 810424037533 (Cream) | 810424037526 (Black)
- Packaging Dimensions: 14.61 x 10.67 x 6.35 cm
- Weight: 0.46 kg
- [Images](#) | [Translations](#) | [User Manual](#)



Need to know for retailers

- A stereo looper pedal that fully explores the creative possibilities of multiple loop channels, providing a rich and unique feature set for how multiple loops can interact
- Independent volume, pan, speed effects, and playback / record settings for each looper channel
- Physical UI and MIDI interface both allow for fully independent or synced simultaneous control of the looper channels
- Three different looping modes to explore:
 - 1) **Synced Mode:** Both channels share loop length and timing, ideal for classic looping with independent mix and playback control.
 - 2) **Unsynced Mode:** Each channel runs on its own timeline, enabling evolving, freeform textures and ambient layers.
 - 3) **Polyrhythmic Modes:** Records loops of different lengths that share a common time base and quantize to a multiple of the first recorded loop, enabling polyrhythmic phrases like 3:4 or 5:7.

Product Features

- Dual-channel stereo looper with full separation
- Independent volume, pan, speed, and reverse per loop
- Three loop modes: Sync, Unsynced, Polyrhythmic
- Sync mode: Both loops share length and time base
- Unsynced mode: Loops drift freely with separate timing
- Polyrhythmic mode: Loops of different lengths stay rhythmically locked
- Polyrhythmic mode enables musical patterns like 3:4 or 5:7 for creative rhythmic layering
- Intuitive stomp gestures—no menu diving required
- Two stomp switches for full hands-free control
- Loop playback speed: 0.5x, 1x, 2x
- Reverse playback per channel for creative textures
- Unlimited overdubs with up to 3 min per loop
- Multicolor LEDs give instant visual feedback
- Expandable via external dual footswitch (TRS)
- MIDI IN/THRU (1/8" TRS) for clock and control
- Supports full MIDI CC mapping
- USB-C for easy firmware updates via Chrome
- Stereo I/O with dedicated pan per channel
- True relay bypass when no loops are playing
- Available in Cream or Black
- Dimensions: 12.12 x 6.6 x 3.53 cm
- Weight: 0.37 kg
- 9VDC, 300mA, center negative required
- Designed and assembled in the USA

Description

The Xero Polylooper is a true bypass, dual-channel looping powerhouse with independent loop control on each channel, stereo panning, variable playback speed, reverse playback, three looping modes, and intuitive stomp gestures. The Xero is your new partner for perpetually endless ways to create new song ideas, practice your licks, or build endless textures on stage.

Two Loop Channels, Fully Independent Control

Xero gives you two independent loop channels—each with its own:

- Loop up to 3 minutes with near infinite stacking of loops
- Unlimited overdubs
- Volume and Pan controls
- Playback speed (0.5x / 1x / 2x)
- Reverse playback option

You can loop on each channel individually or stack them together to build complex, layered compositions—all in real time.

Play Naturally. Control Effortlessly.

The Xero's dual stomp switches keep loop control fast and intuitive:

- Tap the left stomp switch to record and playback loops
- Hold the left stomp to undo
- Tap the right stomp switch to stop loop playback
- Hold the right stomp for speed FX
- Double-press both switches to toggle channel control
- Double-hold to trigger full stop or full erase

With built-in gestures, you stay in control without menu-diving or complex tap dances.

Need even more control? Plug in an external dual-stomp switch to simultaneously take full command of both channels—perfect for live performers and loop-centric setups.

Looping Modes Built for Any Workflow

Switch between three flexible loop sync modes:

- Sync Mode – Keeps all loops time-aligned to the first recorded loop
- Unsynced Mode – Let each channel record loops of completely independent lengths
- Poly Mode – Create polyrhythms using shared time divisions (3:4, 5:7, etc.) for interlocking textures
(Supports MIDI clock for precision syncing)

Visual Feedback That Keeps You Locked In

Each channel has its own multicolor LED system showing:

- Red, Green, and White for recording and playback controls
- Cyan, Pink, Yellow, and Blue LEDs for different speed effects
- Channel Control Status via dedicated red LEDs

Instantly know what's happening—no guesswork needed, even mid-performance.

Speed FX & Direction Controls

Want to flip your loop upside down or twist it in time? Activate Speed FX to unlock:

- Half / Normal / Double speed
- Reverse playback - Each channel's playback behavior can be manipulated independently, letting you remix on the fly.
- FX activation syncs to loop start in Sync and Poly modes, ensuring accurate timing

Bypass That Listens

The Xero features true relay bypass—when no loops are active, the pedal automatically disengages, keeping your tone completely untouched.



[WALRUS AUDIO XERO POLYLOOPER - B2B Download Link](#)