

Applications Engineering Technical Bulletin

Shure Incorporated 125 S Clark St, Ste 400 Chicago IL 60603 Phone: 312-736-6006 www.shure.com/contact

Disqualified Network Switches for Shure Dante Devices

In addition to the network switches mentioned in Audinate's "<u>list of incompatible, unmanaged switches with Energy Efficient Ethernet,</u>" the following switches are not compatible with Shure Dante enabled devices.

Netgear

All ProSafe unmanaged switches, including but not limited to: FS105, 108, 108P, 116, and 116P JFS516, 524 GS105, 108, 110, 116, MX, E and PE models JGS516, 524, E and PE models GSS108, 116, E and EPP models GS and FS305, 308, 316, 324, 605NA, 750E

*This is not an exhaustive list. Switch models and firmware updates occur frequently.

We strongly recommend using Gigabit Ethernet Managed Switches. For example: Cisco SG250/350 series, or D-Link DGS-1210 switches. Unmanaged switches with EEE or Green Energy Efficient Ethernet should not be used for Dante networks.

For questions please contact <u>Shure Applications Engineering</u>. For further information on Dante and networking best practices please

visit: https://www.audinate.com/resources/networks-switches.

These recommendations are for the MXA910, MXA310, ANI22, ANI4IN, ANI4OUT, MXWAPT8, MXWAPT4, MXWANI4, MXWANI8, P300, ULXD4D, ULXD4Q, AD4D, AD4Q and other Shure Dante Products.

Last Updated: Jan 22, 2019