



**DOMINO NEW MENU**  
**From Software V201**

Address	Address	DMX address:001-XXX :	
Mode	User Mode	Stand Mode Basic Mode Extend Mode User Mode A User Mode B User Mode C	
	Edit User ModeA :	Max channel PAN :	
Options	Status	No DMX Mode Sun Protection Pan Reverse Tilt Reverse Pan Degree Feedback Init PAN Init TILT Reset Mode Pan/Tilt Spd CMY Spd Zoom/Focus Spd Hibernation Ethernet to DMX	Close/Hold/Auto ON/OFF ON/OFF ON/OFF 630/540 ON/OFF ON/OFF ON/OFF Fast /All Rot Gobos Speed 1~ 4 Speed 1~2 Speed 1~ 3 OFF , 01M~99M ON/OFF
	Service PIN	Service PIN Set Ip Set Mask Ip Cross Load SW Clr LED Timer	Password=XXX xxx.xxx.xxx.xxx xxx.xxx.xxx.xxx ON/OFF ON/OFF
	Fans Control	Fans Speed	Auto Stage Silence Super Silence

		Constant Fans	ON/OFF
	Disp.Setting	Shutoff Time Flip Display Key Lock DispFlash	02~60m 05m ON/OFF ON/OFF ON/OFF
	Signal Select	DMX WDMX Art-Net sACN	
	Temp. C/F	Celsius Fahrenheit	
	Initial Pos.	PAN =XXX	
	Wireless DMX	Activate WDMX Act&Data Out Rest WDMX	
	Dim Curve	Square Law Linear	
	Refresh Select	1.2K 2.4K 16K 25K	
	Gobo Correction	ON/OFF	
	Reset P/T Fade	ON/OFF	
	Frost (Progressive)	ON/OFF	
	Trigger	DMX Value Disp. Set To Slave Auto Program	PAN..... Slave1,Slave2,Slave3 Master / Alone
	ResetDefault	ON/OFF	
Info	Time Info.	Current Time Ttl Life Hrs Last Run Hrs LED Hours Timer PIN Clr Last Run	
	Temp. Info	Head Temp.	
	Humidity	x%	
	Fan Info.	xxxxRPM	
	Software Ver	V1.0.....	
	Network	IP,Mask,Mac	
Test	Home	All Pan&Tilt Color Gobo Other	
	Test Channel	PAN .....	

	Manual Ctrl.	PAN =XXX :
	Calibration	-Password- PAN :
	Gobo Replace	Gobo Wheel 1
		Gobo Wheel 2
Preset	Select Prog.	Prog. Part 1 = Program 1 ~ 10 Program 1 Prog. Part 2 = Program 1 ~ 10 Program 2 Prog. Part 3 = Program 1 ~ 10 Program 3